



Stanislaus County Emergency Medical Services Agency

Ground Ambulance Equipment - Medical Supply Inventory Checklist Stanislaus County EMS Policy 407.00

Standard Inventory	BLS	√	ALS	√	CCT	√	Notes
1. KED	1		1		1		
2. Scoop Stretcher	1		1		1		
3. Spinal Immobilization Board	2		2		2		
4. Backboard Straps	3 sets		3 sets		3 sets		
5. Pediatric Immobilization Device	1		1		1		
6. Patient Carry Tarp	1		1		1		
7. Burn Pack (clean sheets, towels, gown, sterile gloves)	1		1		1		
8. Rigid Collars – Adjustable (Adult & Pediatric)	2 each		4 each		4 each		
9. Foam Head Restraints or *	3		3		3		
10. Cold Packs	4		4		4		
11. Hot Packs	4		4		4		
12. Traction Splints (Adult & Pediatric)	1 each		1 each		1 each		
13. Rigid Extremity Splints	1 each		1 each		1 each		
14. Petroleum Jelly Gauze (Sterile)	2		4		4		
15. 5 x 9 ABD Pad	4		4		4		
16. 4 x 4 Sterile Compress	4		4		4		
17. 4" Curlex Rolls	2		4		4		
18. Bandage Shears	1		1		1		
19. 10" x 30" or larger universal dressing	2		2		2		
20. Rolls of Tape + hypoallergenic	Assorted		Assorted		Assorted		
21. 4 x 4 Non-Sterile Dressing	1 package		1 package		1 package		
22. Hemostatic Dressings	2		2		2		
23. Triangular Bandage	2		2		2		
24. Exam Gloves (Small, Medium, Large, and X-Large)	Assorted sizes		Assorted sizes		Assorted sizes		
25. Non-Latex Exam Gloves (Small, Medium, Large, and X-Large)	Assorted sizes		Assorted sizes		Assorted sizes		
26. Thermometer – Medical Grade Non-Contact Infrared Forehead	1		1		1		
27. OB Commercial/ Pre-packaged pack meeting Title 13, Section 1103.2(a)(16) requirements that also includes survival blanket & scalpel	1		1		1		
28. OPA (Oral Pharyngeal Airways) (Sizes 00 through 6)	1 set		2 sets		2 sets		

Standard Inventory	BLS	√	ALS	√	CCT	√	Notes
29. NPA (Nasal Pharyngeal Airways) (Pediatric through Adult)	1 set		2 sets		2 sets		
30. BVM (Bag-Valve Device) (Neonate, Pediatric, Adult)	1 each size		1 each size		1 each size		
31. Wall mounted Flow Meters, Capable of 0-15 Liter Per Minute Flow)	2		2		2		
32. Nasal Cannulas (Adult & Pediatric)	2 each size		6 adults / 4 ped		6 adults / 4 ped		
33. Oxygen Mask with reservoirs NRB (Adult & Pediatric)	2 each size		2 each size		2 each size		
34. Oxygen Supply greater than 10 liters/min x 20 min	1		1		1		
35. Portable oxygen supply with Bottle & Regulator	2		2		2		
36. Wrench for Oxygen Valve	1		1		1		
37. Suction Handle Tip Rigid Catheters	2		2		2		
38. Non-collapsible suction tubing	2		2		2		
39. Suction devices, stationary & portable	1 each		1 each		1 each		
40. Suction catheters size 6-14 French	0 each		1 each		1 each		
41. Bite stick	1		2		2		
42. Perilaryngeal or Supraglottic Airway Device – Kind Airway or I-Gel manufacturer recommended sizing – Adult and Pediatric	1 each size		2 each size		2 each size		
43. Bougie	0		2		2		
44. ETCO2 Detector (color metric is no longer required)	0		2		2		
45. 12-lead EKG Monitor with paper print out capable of transcutaneous pacing; wave form capnography with recording capability; defibrillator with variable power control and a range capability of 25-360 joules (or clinically equivalent biphasic energy doses). All monitor/defibrillators shall have the capability to perform synchronized cardioversion	0		1		1		
46. CPAP device capable of delivering adjustable pressures ranging from 5 - 10 cm H2O with FiO2 concentrations equal to or greater than 30% oxygen and capable of fitting small, medium and large adult sizes	1 each		1 each		1 each		
47. Laryngoscope Handle with 1 Set of spare batteries	0		2		2		
48. Video Laryngoscope + with Approval of Agency Medical Director	0		1		1		
49. Laryngoscope blades 1 set (sizes 4 to 0) Miller	0		1 set		1 set		
50. Laryngoscope blades 1 set (sizes 4 to 1) Mac	0		1 set		1 set		

Standard Inventory	BLS	√	ALS	√	CCT	√	Notes
51. Endotracheal tubes and adapters ranging in size from and 5.5 through 9.5 (cuffed) in increments of 0.5 mm	0		1 set		1 set		
52. Endotracheal tube stylets to fit all size tubes	0		1 set		1 set		
53. McGill forceps both Adult & Pediatric sizes	0		1 each		1 each		
54. Water soluble lubrication jelly	3		3		3		
55. Nebulizer (hand-held and mask style)	0		2 each		2 each		
54. Jet Insufflation Device capable of delivering 50 psi with on-off valve and Luer Lock Tip	0		1		1		
55. IV Catheter Needles Size 10 or 12 gauge OR approved NCD Kit	0		2		2		
56. Blood Pressure cuff adult	2		2		2		
57. Blood Pressure cuffs pediatric and extra long	1 each		1 each		1 each		
58. Broselow Tape - latest version or an approved Length Based Tape	0		1		1		
59. Stethoscope	1		1		1		
60. Normal Saline for Irrigation 1000 ml	2		4		4		
61. Sheets, pillows, pillowcases, towels	2 sets		2 sets		2 sets		
62. Blankets	2		2		2		
63. Ankle and Wrist Restraints	1 set		1 set		1 set		
64. Emesis Basin/Bag	4		4		4		
65. Bedpan	1		1		1		
66. Urinal	1		1		1		
67. Antibacterial disinfectant solution for cleanup	1		1		1		
68. EpiRite Syringe	2		0		0		
69. Pulse Oximeter	1		1		1		
70. Glucose Monitoring System	1		1		1		
71. Adenosine 6 mg/2 ml concentration	0		36 mg		36 mg		
72. Albuterol 3 ml of a .5% solution	0		8		8		
73. Amiodarone 150 mg/3ml ampule (Provider must carry either Amiodarone or Lidocaine or both, if they choose)	0		6 ampules		6 ampules		
74. Aspirin (chewable) tablets	16 tablets		16 tablets		16 tablets		
75. Atropine Sulfate 1 mg/10 ml concentration (1 mg preload)	0		2		2		
76. Atropine Sulfate 20 ml of a .4 mg/1 ml concentration	0		1 vial		1 vial		
77. Calcium Chloride	0		2 gm		2 gm		
78. Dextrose 25% (2.5 gm/preload)	0		2		2		
79. Dextrose 50% preload 25 gm/50ml	0		2		2		
80. Diphenhydramine (Benadryl) 50mg/1ml or a 25 mg/ml concentration	0		100 mg		100 mg		
81. Epinephrine 1:1,000 (1 mg/ml)	2 mg		3 mg		3 mg		
82. Epinephrine 1:10,000 (1mg/10ml)	0		10 mg		10 mg		

Standard Inventory	BLS	√	ALS	√	CCT	√	Notes
83. Fentanyl 50 mcg/ml Maximum 400mcg (Provider must carry either Fentanyl or Morphine Sulfate or both, if they choose as outlined in SCEMSA Policy 439.00)	0		200 mcg		200 mcg		
84. Glucagon 1mg/ml	0		2 mg		2 mg		
85. Instant Glucose	2 tubes		2 tubes		2 tubes		
86. Ketamine +	0		100 mg		100 mg		
87. Lidocaine 100mg/10ml (preloads) (Provider must carry either Amiodarone or Lidocaine or both if they choose)	0		3		3		
88. Midazolam (Versed) as outlined in SCEMSA Policy 439.00 –20 mg(5mg/ml) Maximum – 40 mg	0		20 mg		20 mg		
89. Morphine Sulfate –Maximum – 60 mg (Provider must carry either Fentanyl or Morphine Sulfate or both if they choose as outlined in SCEMSA Policy 439.00)	0		20 mg		20 mg		
90. Mucosal Atomizer 3ml	2		4		4		
91. Naloxone (Narcan)	4 mg		8mg		8 mg		
92. Nitroglycerine spray bottle capable of providing a metered dose of 0.4 mg/spray	0		1 bottle with sufficient supply to treat 2 patients		1 bottle with sufficient supply to treat 2 patients		
93. Nitroglycerine 0.4 Tablets +	0		16 tablets		16 tablets		
94. Nitroglycerine Paste 2% ointment with tape for application	0		1 ointment		1 ointment		
95. Ondansetron (Zofran) 4.0 mg tablets or 4 mg/2 ml vials	0		4		4		
96. Sodium Bicarbonate 50 mEq/50 ml concentration	0		2		2		
97. TXA 1000 mg/10 ml	0		2		2		
98. Betadine Preps	5		5		5		
99. Band-Aids Miscellaneous sizes	1 package		1 package		1 package		
100. Medication added labels	0		Multiple 5 each		Multiple 5 each		
102. Intraosseous Needles (Stainless Steel) 15, 25 & 45	0		Multiple 5 each		Multiple 5 each		
103. IO Drill +	0		1 each		1 each		
104. IV Catheter Needles Sizes 14 through 22 gauge	0		5 each		5 each		
105. Huber Needle 20 gauge, 1”, bent tip, non-coring	0		2		2		
106. Needles for injections Size 18 or 19 gauge Size 21, 23, 24 or 25 gauge	0		3 each		3 each		

Standard Inventory	BLS	√	ALS	√	CCT	√	Notes
107. Normal Saline 1000 ml must be kept within a range of 100 to 110 degrees Fahrenheit. This cache of solution must be dated and either used or discarded within 28 days of warming	0		2		2		
108. Normal Saline 100 ml	0		2		2		
109. Normal Saline 1000 ml	0		6		6		
110. Macro-Drip Set (10-20 gtts/ml)	0		6		6		
111. Micro-Drip Set (60 gtts/ml)	0		2		2		
112. Pediatric 100 ml or 150ml Volume Control Chamber Administration Sets	0		2		2		
113. Extension Tubing	0		6		6		
114. Syringes 1, 3, 5, 10, 60 ml	0		2 each		2 each		
115. IV Tourniquets	0		5		5		
116. Sharps Container(s) as necessary, incl. one in ambulance and one in EMS bag	0		2		2		
117. Alcohol Preps	0		Multiple		Multiple		
118. 12-lead Electrode Pads	0		20		20		
119. Defibrillator Pads – Adult and Pediatric	0		2		2		
120. 12-lead Monitor cables (one with monitor, one back-up)	0		2 sets		2 sets		
121. Charged batteries (backups for defibrillator)	0		1		1		
122. AED with extra set of Pediatric and Adult pads	1		0		0		
123. MCI Kit containing the following: Set of five MCI vests per Agency Policy 810.00; 25 triage tags; Set of ICS Forms as specified in SCEMSA Policy 810.00; Complete set of oral airways ranging from sizes 0-6; 4 additional airways in each of the following sizes 4,5,6; 4 - 4 x 4 trauma compresses with ties; 4 - Tourniquets; Pair of bandage scissors/shears	1		1		1		
124. Radio able to communicate with authorized dispatch center in area of operation.	1		1		1		
125. Radio able to transmit and receive communications on appropriate med-net frequencies and private line tones with hospitals and DCF in unit's service area and surrounding counties. Radios used for communication with hospital must be accessible in the patient compartment	1		1		1		
126. Portable radio able to transmit and receive communications with authorized dispatch center in area of operation	1		1		1		

Standard Inventory	BLS	√	ALS	√	CCT	√	Notes
127. Cellphone in compliance with contractual requirements	1		1		1		
128. Satellite Phone +	1		1		1		
129. Non-invasion and core temp monitoring (esophageal/rectal & skin/tympanic)	0		0		4		
130. Invasive line monitoring port (Arterial, PA, CVP, ICP) & Transducers	0		0		2		
131. Doppler	0		0		-		
132. External Fetal Monitoring	0		0		-		
133. Multi-mode Transport Ventilator (Revel, LTV, Hamilton, Zoll)	0		0		1		
134. Video Laryngoscopy	0		0		1		
135. Portable O2 with Regulator & Quick Connect	0		0		1		
136. Infusion Pumps	0		0		6		
137. IVF Warmer	0		0		1		

CCT Applicable Only - List Inventory, Quantity, & Concentration			
Inventory	Quantity	Concentration	Notes
Vasoactive Agents			
Muscle Relaxants			
Sedatives			
Paralytics			

CCT Applicable Only - List Inventory, Quantity, & Concentration

Inventory	Quantity	Concentration	Notes
Blood Products <hr/> <hr/> <hr/> <hr/>	<hr/> <hr/> <hr/> <hr/>	<hr/> <hr/> <hr/> <hr/>	<hr/> <hr/> <hr/> <hr/>
Anti-Inflammatory/ Steroids <hr/> <hr/> <hr/> <hr/>	<hr/> <hr/> <hr/> <hr/>	<hr/> <hr/> <hr/> <hr/>	<hr/> <hr/> <hr/> <hr/>
Anti-Convulsants <hr/> <hr/> <hr/> <hr/>	<hr/> <hr/> <hr/> <hr/>	<hr/> <hr/> <hr/> <hr/>	<hr/> <hr/> <hr/> <hr/>
Opioids/ Analgesia Agents <hr/> <hr/> <hr/> <hr/>	<hr/> <hr/> <hr/> <hr/>	<hr/> <hr/> <hr/> <hr/>	<hr/> <hr/> <hr/> <hr/>
Antibiotics <hr/> <hr/> <hr/> <hr/>	<hr/> <hr/> <hr/> <hr/>	<hr/> <hr/> <hr/> <hr/>	<hr/> <hr/> <hr/> <hr/>
Electrolytes: K+, Mg, Ca <hr/> <hr/> <hr/> <hr/>	<hr/> <hr/> <hr/> <hr/>	<hr/> <hr/> <hr/> <hr/>	<hr/> <hr/> <hr/> <hr/>
Hypertonic Normal Saline <hr/> <hr/> <hr/> <hr/>	<hr/> <hr/> <hr/> <hr/>	<hr/> <hr/> <hr/> <hr/>	<hr/> <hr/> <hr/> <hr/>

